

2005 LRDP EIR Mitigation Annual Monitoring Report, 2009-2010

Table 1: Mitigation Status Summary

Unit	Mitigation ID	Mitigation Description	Status
Physical Plant	AES-5D	Continue Site Stewardship Program.	Completed - Ongoing
PP&C	AES-6B	Minimize light pollution in new development projects.	Completed - Ongoing
OPERS	AES-6D	Turn off field lights at 11 PM.	Not Triggered
PP&C	AES-6E	DAB review outdoor lighting	Other
PP&C	AIR-1	Construction dust control.	Completed - Ongoing
PP&C	AIR-4A	Work with AMBAG on regional population forecasts.	Completed - No Further Action
PP&C	AIR-4B	Work with MBUAPCD on campus growth-related emissions.	Completed - No Further Action
Physical Plant	AIR-5A	Generator testing schedule.	Completed - Ongoing
Physical Plant	AIR-5B-PP	Cogeneration system emissions	In Progress
PP&C	AIR-6	Minimize construction air pollutant emissions.	Completed - Ongoing
PP&C	AIR-7	Reduce toxic air contaminant emissions.	Completed - Ongoing
Arboretum	BIO-15	Arboretum fencing allow mammal movement	In Progress
Police	BIO-7A-Police	Ohlone tiger beetle protection in Marshall Field.	Completed - Ongoing
Physical Plant	BIO-7A-PP	Ohlone tiger beetle protection in Marshall Field.	Completed - Ongoing
Arboretum	BIO-7B	USFWS consultation on Arboretum fencing	Completed - No Further Action
CNR	BIO-8A-CNR	Cave signs and educational material.	Completed - No Further Action

2005 LRDP EIR Mitigation Annual Monitoring Report, 2009-2010

Table 1: Mitigation Status Summary

Unit	Mitigation ID	Mitigation Description	Status
Physical Plant	BIO-8A-PP	Signs and educational material to protect caves.	Completed - Ongoing
PP&C	BIO-8B-PPC	Consult with agencies on cave barrier design.	Completed - Ongoing
Physical Plant	CULT-1B-PP	Archaeological resource training for campus employees.	Completed - Ongoing
Physical Plant	DA-HYD-2	Prevent off-site migration of landscape chemicals (2300 Delaware)	Completed - Ongoing
Physical Plant	DA-REC-1A	Trash and litter collection at Antonelli Pond.	Completed - Ongoing
Physical Plant	DA-REC-1B	Contribute toward providing and maintaining picnic and trail facilities at Antonelli Pond.	Completed - Ongoing
Physical Plant	DA-REC-2D	Coordination of volunteer activities at Antonelli Pond.	Completed - Ongoing
TAPS	DA-TRA-1A	Campus contribution to cost of intersection improvements (2300 Delaware).	Completed - Ongoing
TAPS	DA-TRA-1B	TDM measures (2300 Delaware).	Completed - Ongoing
TAPS	DA-TRA-2	Parking monitoring and management (2300 Delaware).	Completed - Ongoing
TAPS	DA-TRA-3	Public transit to serve 2300 Delaware.	Completed - Ongoing
Physical Plant	DA-UTIL-1A	Water conservation at 2300 Delaware.	Completed - Ongoing
Physical Plant	DA-UTIL-1C	Evapotranspiration irrigation system (2300 Delaware).	Completed - Ongoing
Fire Dept	HAZ-10A	Annual/biennial building inspections	Completed - Ongoing
Physical Plant	HAZ-10B	Develop and implement Vegetation Management Plan	Not Triggered
Physical Plant	HAZ-10C	Wildland fire prevention signage.	Not Triggered

2005 LRDP EIR Mitigation Annual Monitoring Report, 2009-2010

Table 1: Mitigation Status Summary

Unit	Mitigation ID	Mitigation Description	Status
EH&S	HAZ-2	Enhance hazardous waste minimization program.	Completed - Ongoing
PP&C	HAZ-9A	Construction road closure procedures.	Completed - Ongoing
Fire Dept	HAZ-9B	Test and update EOP.	Completed - Ongoing
Fire Dept	HAZ-9C	EOPs for 2300 Delaware and north campus.	Not Triggered
PP&C	HAZ-9D	Secondary emergency egress route for north campus.	Not Triggered
PP&C	HYD-2A	Construction site controls, sites less than 1 acre.	Completed - Ongoing
PP&C	HYD-2B	Erosion controls for grading on hillsides.	Completed - Ongoing
Physical Plant	HYD-3A	Signs and public education about importance of staying on paved roads and approved paths.	Completed - Ongoing
PP&C	HYD-3A	Signs and public education about importance of staying on paved roads and approved paths.	Completed - Ongoing
Physical Plant	HYD-3B-PP	Erosion control measures for fire roads.	Completed - Ongoing
PP&C	HYD-3D	Low-impact development measures for new development.	Completed - Ongoing
PP&C	HYD-5C	Aquifer monitoring.	Not Triggered
PP&C	NOIS-1	Construction noise controls.	Completed - Ongoing
PP&C	NOIS-2	Contractors use City-designated truck routes.	Completed - Ongoing
CUHS	POP-3A	Campus housing accommodate 50% of undergraduates and 25 percent of graduate students.	Completed - Ongoing
CUHS	POP-3B	Housing collaboration study.	Completed - No Further Action

2005 LRDP EIR Mitigation Annual Monitoring Report, 2009-2010

Table 1: Mitigation Status Summary

Unit	Mitigation ID	Mitigation Description	Status
CUHS	POP-3C	Housing collaboration study.	Completed - Ongoing
Physical Plant	REC-2C-PP	Discourage illegal bicycle use on Pogonip trails.	Completed - Ongoing
TAPS	REC-2C-TAPS	Discourage illegal bicycle use on Pogonip trails.	Completed - Ongoing
Physical Plant	REC-2D-PP	Coordinate with City on volunteer trail maintenance days.	Completed - Ongoing
OPERS	REC-4	Recreational facilities available to public	Completed - Ongoing
TAPS	TRA-1	Monitoring and improve campus intersections.	Completed - Ongoing
TAPS	TRA-2A-TAPS	Monitor and contribute to improvements to City intersections.	Completed - Ongoing
TAPS	TRA-2B	Expand TDM programs.	Completed - Ongoing
TAPS	TRA-3B	Parking monitoring and construction.	Completed - Ongoing
TAPS	TRA-3C	Parking management systems.	Completed - Ongoing
TAPS	TRA-4A	Monitor transit efficiency.	Completed - Ongoing
TAPS	TRA-4B	Improve transit efficiency.	Completed - Ongoing
P&B	TRA-4D-PB	Coordinate roadway and circulation improvements with pace of campus development	Completed - Ongoing
TAPS	TRA-4D-TAPS	Campus roadway and circulation improvements.	Completed - Ongoing
TAPS	TRA-4E	Bicycle circulation improvements.	Completed - Ongoing
TAPS	TRA-4F	Wayfinding systems.	In Progress

2005 LRDP EIR Mitigation Annual Monitoring Report, 2009-2010

Table 1: Mitigation Status Summary

Unit	Mitigation ID	Mitigation Description	Status
TAPS	TRA-5B	Special-event parking management.	Completed - Ongoing
TAPS	TRA-5C	On-line parking permit sales and information.	In Progress
TAPS	TRA-5D	Campus Events Calendar System for traffic and parking management.	Completed - Ongoing
TAPS	TRA-6B	Fair share contribution to freeway facility improvements.	Not Triggered
P&B	TRA-6B-PB	Pay fair share of local cost of improvements to freeway facilities.	Not Triggered
Physical Plant	UTIL-4	Improve recycling and waste reduction.	Completed - Ongoing
CUHS	UTIL-9A-CUHS	Water efficient washing machines in student housing.	Completed - Ongoing
OPERS	UTIL-9A-OPERS	Water-efficient washing machines.	Not Triggered
Physical Plant	UTIL-9A-PP	Leak detection and repair.	Completed - Ongoing
Physical Plant	UTIL-9B-PP	Pilot test high-efficiency plumbing fixtures.	Completed - Ongoing
PP&C	UTIL-9B-PPC	Pilot test high-efficiency plumbing fixtures	Completed - Ongoing
CUHS	UTIL-9C	Water conservation education program for campus residents.	Completed - Ongoing
PP&C	UTIL-9D	Campus water audit.	Completed - No Further Action
CUHS	UTIL-9E-CUHS	Implement water audit recommendations.	Completed - No Further Action
Physical Plant	UTIL-9E-PP	Implement water audit recommendations.	Completed - Ongoing
Physical Plant	UTIL-9F	Update water audit	Not Triggered

2005 LRDP EIR Mitigation Annual Monitoring Report, 2009-2010

Table 1: Mitigation Status Summary

Unit	Mitigation ID	Mitigation Description	Status
PP&C	UTIL-9G	Water re-use feasibility study.	Completed - No Further Action
CUHS	UTIL-9H-CUHS	Retrofit plumbing fixtures in student housing within 5 years following approval of 2005 LRDP.	Completed - Ongoing
Arboretum	UTIL-9I-Arbo	Water conservation in drought emergency	Completed - Ongoing
CASFS	UTIL-9I-CASFS	CASFS reduce use of potable water for irrigation if City implements drought emergency measures.	Completed - Ongoing
CUHS	UTIL-9I-CUHS	Require reduction in residential water use on campus if the City implements drought emergency management measures.	Completed - Ongoing
Physical Plant	UTIL-9I-PP	Water conservation in drought emergency.	Completed - Ongoing