

UC Santa Cruz 2005 LRDP EIR
Annual Mitigation Monitoring Report, 2012-13
Table 3: Project-Specific Mitigations

Project Name (Year, CEQA Document)	Mitigation ID and Description	Status**
Infrastructure Phase 2 (2008, Stand-alone IS/MND)	IIP HYD-1: Measures to minimize potential construction impacts to water quality while working in natural drainages.	A
Cogeneration Plant Replacement Phase 1 (2011 Tiered IS/MND)	Cogen Mitigation AES-1: Include a tree in planting plan, if feasible.	C
	Cogen Mitigation BIO-1: California red-legged frog avoidance measures.	C
	Cogen Mitigation CULT-1A: Prohibition on heavy equipment or vehicle traffic at the base of Jordan Gulch.	C
	Cogen Mitigation CULT-1B: Measures to avoid damage to historic kiln in Jordan Gulch if Cogen Mitigation CULT-1A cannot be implemented.	NA
	Cogen Mitigation CULT-2A: Archaeological conditions for PG&E off-campus work.	A
	Cogen Mitigation CULT-2B: Archaeological monitoring requirement for construction of new PG&E line in City of Santa Cruz.	A
Merrill Residence Halls Capital Renewal	Merrill NOIS-1: Temporary noise barrier during construction	A
Telecommunications Infrastructure Improvements Phase A	TII Phase A BIO-1: Survey for and avoidance of special-status plants	C
	TII Phase A BIO-2: Survey for and avoidance of Ohlone tiger beetle	C
	TII Phase A BIO-3: Measures to prevent release of drilling fluid to the environment.	A
	TII Phase A BIO-4A: Initial ground disturbance with 300 feet of Moore Creek and Arboretum Pond to take place between May 1 and October 15.	A
	TII Phase A BIO-4B: California red-legged frog monitoring and avoidance measures	A
	TII Phase A BIO-5: Surveys for and avoidance of western pond turtle	A

* = This table lists mitigations identified by project-level CEQA documents. Project implementation of project-specific mitigation measures identified in the 2005 LRDP EIR is summarized in Table 2.

** = NA-not applicable to project as approved, or no action required to date; A-Active; C-Complete; H-Project on Hold